

ADDENDUM C: APPROVED NATIVE PLANT LIST

| TABLE C-1: ORO VALLEY PROTECTED NATIVE PLANT LIST | | |
|---|-----------------------------------|------------------|
| Latin Name | Common Name | Legal Protection |
| <i>Acacia greggii</i> | Catclaw Acacia | |
| <i>Acacia Constricta</i> | Whitethorn Acacia | |
| <i>Carnegiea gigantea</i> | Saguaro | NPL-SR |
| <i>Carnegiea gigantea</i> | Saguaro, crested form | NPL-HS |
| <i>Castela emoryi</i> | Crucifixion Thorn | NPL-SR |
| <i>Celtis Pallida</i> | Desert Hackberry | |
| <i>Celtis Reticulata</i> | Netleaf Hackberry | |
| <i>Cercidium floridum</i> | Blue Palo Verde | NPL-SA |
| <i>Cercidium microphyllum</i> | Foothills Palo Verde | NPL-SA |
| <i>Echinocactus horizonthalonius</i> var. <i>nicholii</i> | Blue Barrel Cactus | NPL/ESA-NPL/HS |
| <i>Ferocactus wislizenii</i> | Fishhook Barrel | NPL-SR |
| <i>Fourquieria splendens</i> | Ocotillo | NPL-SR |
| <i>Mammillaria thornberi</i> | Thornber Clustered Pincushion | NPL-SR |
| <i>Opuntia fulgida</i> var. <i>fulgida</i> | Chain-fruit Cholla* | NPL-SR |
| <i>Opuntia phaeacantha</i> var. <i>discata</i> * | Desert or Engelmann Prickly-Pear* | NPL-SR |
| <i>Olneya Tesota</i> | Ironwood | NPL-SA/HR |
| <i>Peniocereus greggii</i> | Desert Night-blooming Cereus | NPL-SR |
| <i>Prosopis pubescens</i> | Screwbean Mesquite | NPL-HR/SA |
| <i>Prosopis velutina</i> | Velvet Mesquite | NPL-HR/SA |
| <i>Tumamoca macdougalii</i> | Tumamoc Globeberry | NPL-SR |
| <i>Yucca elata</i> | Soaptree Yucca | NPL-SR |
| <i>Ziyphus obtusifolia</i> var. <i>canescens</i> | Greythorn | |
| <p>KEY: NPL = Plants regulated by the Arizona Native Plant Law HR = Harvest Restricted SR = Salvage Restricted SA = Salvage Assessed ESA = Plants protected by the Federal Endangered Species Act HS = Highly Safeguarded *=See "2" below</p> | | |

**TABLE C-2: ORO VALLEY SUPPLEMENTAL PROTECTED NATIVE PLANT LIST
(UNDER-STORY)**

| Latin Name | Common Name | Occurrence | Legal Protection |
|--|----------------------------|------------|------------------|
| <i>Abutilon incanum</i> | Indian Mallow | C | |
| <i>Abutilon Parishii</i> | Tucson Indian Mallow | UC | SR |
| <i>Acacia Angustissima</i> var. <i>Hirta</i> | Fern Acacia | UC | |
| <i>Acacia Constricta</i> | White Thorn Acacia | CW | |
| <i>Acacia Greggii</i> | Catclaw Acacia | C | |
| <i>Agave Chrysantra</i> | Golden-Flowered Agave | UC | SR |
| <i>Agave Palmeri</i> | Palmer Agave | UC | SR |
| <i>Ambrosia Ambrosioides</i> | Canyon Ragweed | C | |
| <i>Ambrosia Deltoidea</i> | Triangleleaf Bursage | CW | |
| <i>Anemone Tuberosa</i> | Desert Windflower | UC | |
| <i>Anisacanthus Thurberi</i> | Thurber Desert Honeysuckle | UC | |
| <i>Astrolepis Cochisensis</i> | Cochise Scaley Astrolepis | UC | |
| <i>Astrolepis X Integerrima</i> | Hybrid Cloak Fern | UC | |
| <i>Astrolepis Sinuata</i> | Wavy Astrolepis | UC | |
| <i>Astrolepis Standleyi</i> | Standley Astrolepis | UC | |
| <i>Baccharis Salicifolia</i> | Seep Willow | C | |
| <i>Baileya Multiradiata</i> | Desert Marigold | C | |
| <i>Calliandra Eriophylla</i> | Fairy Duster | C | |
| <i>Celtis Pallida</i> | Desert Hackberry | C | |
| <i>Clematis Drummondii</i> | Texas Virgin Bower | UC | |
| <i>Clematis Ligusticifolia</i> | White Virgin's Bower | UC | |
| <i>Condalia Warnockii</i> var. <i>Kearneyana</i> | Kearney Condalia | C | |
| <i>Coursetia Microphylla</i> | Baby Bonnets | UC | |
| <i>Crossosoma Bigelovii</i> | Bigelow Ragged Rock Flower | UC | |
| <i>Dasyilirion Wheeleri</i> | Wheeler Dasyilirion | UC | SR |
| <i>Dichelostemma pulchellum</i> var. <i>Pauciflorum</i> | Small-Flowered Covena | C | SR |
| <i>Dodonaea Viscosa</i> var. <i>Angustifolia</i> | Hop Tree | UC | |
| <i>Echinocereus Fasciculatus</i> var. <i>Fasiculatus</i> | Bundle Hedgehog Cactus | C | SR |
| <i>Encelia Farinoba</i> | Brittle Bush | C | |
| <i>Ephedra Trifurca</i> | Long-Leaved Joint-Fir | C | |
| <i>Eragrostis Intermedia</i> | Plains Lovegrass | UC | |
| <i>Ericameria Laricifolia</i> | Turpentine Bush | C | |
| <i>Eriogonum Wrightii</i> | Wright Buckwheat | UC | |
| <i>Glandularia Gooddingii</i> | Goodding Verbena | C | |
| <i>Gossypium Thurberi</i> | Desert Cotton | UC | |
| <i>Hibiscus Coulteri</i> | Desert Rose Mallow | C | |
| <i>Hymenoclea Monogyra</i> | Burro Brush | C | |
| <i>Hymenoclea Salsola</i> | Burro Brush | C | |
| <i>Hyptis Emoryi</i> | Desert Lavender | UC | |
| <i>Jatropha Cardiophylla</i> | Limberbush | UC | |
| <i>Justicia Californica</i> | California Chuparosa | UC | |

**TABLE C-2: ORO VALLEY SUPPLEMENTAL PROTECTED NATIVE PLANT LIST
(UNDER-STORY)**

| Latin Name | Common Name | Occurrence | Legal Protection |
|--|--------------------------------|------------|------------------|
| <i>Krameria Parvifolia</i> | Range Ratany | C | |
| <i>Larrea Divaricata</i> var. <i>Tridentata</i> | Creosote Bush | C | |
| <i>Lycium Berlandieri</i> var. <i>Parviflorum</i> | Berlandier Wolfberry | C | |
| <i>Lycium Fremontii</i> | Fremont Desert Thorn | C | |
| <i>Marah Gilensis</i> | Big Root | UC | |
| <i>Menodora Scabra</i> | Yellow Menodora | C | |
| <i>Mimosa Biuncifera</i> | Wait-A-Minute Mimosa | UC | |
| <i>Mimulus Guttatus</i> | Seep-Spring Monkey Flower | UC | |
| <i>Muhlenbergia Porteri</i> | Bush Muhly | C | |
| <i>Muhlenbergia Rigens</i> | Deer Grass | UC | |
| <i>Opuntia Arbuscula</i> | Pencil Cholla | C | SR |
| <i>Opuntia Ffulgida</i> var. <i>Mammillata</i> | Smooth Chain-Fruited Cholla | C | SR |
| <i>Opuntia Kleiniae</i> var. <i>Tetracantha</i> | Four-Spined Pencil Cholla | UC | SR |
| <i>Opuntia Leptocaulis</i> | Desert Christmas Cholla | C | SR |
| <i>Opuntia Spiniosior</i> | Cane Cholla | C | SR |
| <i>Opuntia Versicolor</i> | Staghorn Cholla | C | SR |
| <i>Pellaea Truncata</i> | Spiny Cliff Brake | UC | |
| <i>Penstemon Parryi</i> | Parry Penstemon | C | |
| <i>Psilostrophe Cooperi</i> | Cooper Paper Flower | CW | |
| <i>Simmondsia Chinensis</i> | Jojoba | UC | |
| <i>Sporobolus Contractus</i> | Spike Dropseed | UC | |
| <i>Sporobolus Cryptandrus</i> | Sand Dropseed | UC | |
| <i>Sporobolus Wrightii</i> | Sacaton | UC | |
| <i>Tiouilia Canescens</i> | Shrubby Tiouilia | UC | |
| <i>Trixis Californica</i> | Trixis | C | |
| <i>Zinnia Acerosa</i> | Desert Zinnia | C | |

(Oro Valley Occurrence: CW = Common Widespread, C = Common, UC = Uncommon)

TABLE C-3: ORO VALLEY APPROVED PLANT LIST (ALL AREAS)

***See Bottom of List for Key to Symbols**

List Sorted Alphabetically by Botanical Name

| Botanical Name | Common Name | Status | Origin | Needs | Hardy |
|-----------------------------------|------------------------------------|---------------|---------------|--------------|--------------|
| Abronia villosa | Sand verbena | Gc, an | SD | 1 | |
| Acacia abyssinica | Abyssinian Acacia | T | Africa | 3 | sh |
| Acacia angustissima | White Ball Acacia | S | SD | 2 | sh |
| Acacia berlandieri | Guajillo | S,T | CD | 3 | |
| Acacia cavenia | Cavenia Acacia | T | SD, CD | 2 | |
| Acacia constricta | Whitethorn Acacia, Mescat | T, S* | SD, CD | 1 | |
| Acacia eburnia | Needle Acacia | T | SD, CD | 1 | |
| Acacia farnesiana | Sweet Acacia | T | SD, CD | 2 | sh |
| Acacia greggii | Cat's Claw Acacia | T, S | SD, CD | 1-2 | |
| Acacia minuta (smallii) | Southwestern Sweet Acacia | T, S, cl | SD, CD | 2 | |
| Acacia redolens | Prostrate Acacia | S, Gc | Australia | 2 | |
| Acacia rigidula | Black Brush Acacia | S, T | CD | 3 | |
| Acacia salicina | Weeping Wattle | T, cl | Australia | 2 | sh |
| Acacia saligna | Wattle Tree | T | Australia | 1-2 | sh |
| Acacia schaffneri | Twisted Acacia | T | CD | 1-2 | |
| Acacia smallii | Sweet Acaia | T | SD, CD | 1-2 | sh |
| Acacia stenophylla | Pencilleaf Acacia | T | Australia | 1-2 | |
| Acacia willardiana | Palo Blanco | T | SD | 1-2 | sh |
| Agave americana | Century Plant | Sc | CD | 1-2 | |
| Agave colorata | Agave | Sc | SD | 1 | |
| Agave filifera | Agave | Sc | CD | 1-2 | |
| Agave huachucensis | Huachuca Agave | Sc | SD | 1-2 | |
| Agave lophantha (univittata) | Agave | Sc | CD | 2 | |
| Agave ocahui | Ocahui Agave | Sc | SD | 1-2 | |
| Agave palmeri | Palmer Agave | Sc | SD | 1 | |
| Agave victoriae-reginae | Victoria Regina Agave | Sc | CD | 1-2 | |
| Agave vilmoriniana | Octopus Agave | Sc | SD | 1-2 | sh |
| Aloysia gratissima | Fragrant Bush, Bee Brush | S | SD, CD | 2 | |
| Aloysia wrightii | Wright's Oregano, Lemon Verbena | S | SD, CD | 2 | |
| Ambrosia (Franseria) deltoidea | Triangle-leaf Bursage | S | SD | | |
| Ambrosia (Franseria) dumosa | White Bursage | S | SD | 1 | |
| Anisacanthus thurberi | Desert Honeysuckle | S | SD | 2 | |
| Antigonon leptopus | Queen's Wreath | V, cl | SD | 2-3 | (t) |
| Asclepias linaria | Pine-Leaf Milkweed | S | SD, CD | 2 | |
| Asclepias subulata | Desert Milkweed | A | SD | 2 | sh |
| Aster bigelovii | Aster | an | SD | 1 | (t) |
| Aster tanacetifolius | Aster | an | SD, CD | 1 | (t) |
| Atriplex canescens | Four-Wing Saltbush | S | SD, CD | 1 | |
| Atriplex hymeneltra | Desert Holly | S | SD, CD | 1 | |
| Atriplex lentiformis | Quail Bush | S | SD | 1 | |

TABLE C-3: ORO VALLEY APPROVED PLANT LIST (ALL AREAS)

***See Bottom of List for Key to Symbols**

List Sorted Alphabetically by Botanical Name

| Botanical Name | Common Name | Status | Origin | Needs | Hardy |
|--|-------------------------------------|---------------|---------------|--------------|--------------|
| <i>Atriplex lentiformis breweri</i> | Brewer Saltbush | S | SD | 1-2 | |
| <i>Atriplex nummularia</i> | Old Man Saltbush | S | Australia | 1 | |
| <i>Atriplex polycarpa</i> | Desert Saltbush | S | SD | 1 | |
| <i>Atriplex semibaccata</i> | Australian Saltbush | S | Australia | 2 | |
| <i>Bahia absinthifolia</i> | Desert Daisy | p, cl | SD | 2 | |
| <i>Baileya multiradiata</i> | Desert Marigold | p, cl* | SD, CD | 1-2 | |
| <i>Berberis harrisoniana</i> | Barberry | S | SD | 3 | |
| <i>Berberis trifoliata</i> | Agritos | S | SD | 3 | |
| <i>Bothriochloa barbinodis</i> | Cane beardgrass | Gr,cl | SD, CD | 1 | |
| <i>Brahea (Erythea) armata</i> | Mexican Blue Palm | T | SD | 2-3 | |
| <i>Buchloe dactyloides</i> | Buffalo grass | Gr | CD | 2-3 | |
| <i>Buddleia marrubifolia</i> | Wooly Butterfly Bush | S, cl | CD | 2-3 | |
| <i>Bursera microphylla</i> | Elephant Tree | T | SD | 2,1 | (t) |
| <i>Caesalpinia (Poinciana) mexicana,</i> | Mexican Bird of Paradise (yellow) | S, cl* | CD | 2 | |
| <i>Caesalpinia (Poinciana) gilliesii</i> | Yellow Bird of Paradise | S, cl* | Argentina | 1-2 | |
| <i>Caesalpinia pulcherrima</i> | Red Bird of Paradise | S, cl* | Caribbean | 3 | sh |
| <i>Calliandra californica</i> | Red Fairy Duster, Baja Fairy Duster | S, cl | SD | 2-3 | |
| <i>Calliandra eriophylla</i> | Fairy Duster, False Mesquite | S, cl | SD | 1 | |
| <i>Calliandra peninsularis</i> | Red Calliandra, Baja Fairy Duster | S, cl | SD | 2-3 | sh |
| <i>Calylophus hartwegii</i> | Calylophus | Gc, cl | CD | 3 | |
| <i>Campsis radicans</i> | Common Trumpet Creeper | V, cl | SD, CD | 2-3 | |
| <i>Carnegiea gigantea</i> | Saguaro | C | SD | 1 | |
| <i>Cassia artemisioides</i> | Wormwood Senna, Feathery Cassia | S, cl | Australia | 2-3 | sh |
| <i>Cassia nemophila (eremophila)</i> | Green Cassia | S, cl | Australia | 2 | |
| <i>Cassia phyllodinea</i> | Silvery Cassia | S, cl | Australia | 2-3 | |
| <i>Cassia wislezenii</i> | Shrubby Cassia | S, cl | Australia | 2-3 | |
| <i>Cathostecum erectum</i> | False grama | Gr, cl | SD | 1 | |
| <i>Celtis pallida</i> | Spiny or Desert Hackberry | S | SD, CD | 1-2 | |
| <i>Celtis reticulata</i> | Netleaf or Western Hackberry | T | SD, CD | 2 | |
| <i>Cephalophyllum 'Red Spike'</i> | Red Spike Ice Plant | Gc, Sc, cl | | 2 | |
| <i>Cercidium floridum</i> | Blue Palo Verde | T, cl | SD | 2-3 | |
| <i>Cercidium microphyllum</i> | Littleleaf or Foothill Palo Verde | T, cl | SD | 1 | |
| <i>Cercidium praecox</i> | Palo Brea | T, cl | SD | 2 | sh |
| <i>Cercidium sonorae</i> | Sonoran Palo Verde | T, cl | SD | 1-2 | |
| <i>Cercis canadensis</i> | Mexican Redbud | T, S | CD | 3 | |

TABLE C-3: ORO VALLEY APPROVED PLANT LIST (ALL AREAS)

| *See Bottom of List for Key to Symbols | | | | | |
|--|-----------------------------------|----------------------|--------|-------|-------|
| List Sorted Alphabetically by Botanical Name | | | | | |
| Botanical Name | Common Name | Status | Origin | Needs | Hardy |
| var. mexicana | | | | | |
| Chilopsis linearis | Desert Willow | T, S, cl | SD, CD | 2-3 | |
| Cissus incisa | Desert Grape Ivy | V, | CD | 1-2 | I |
| Cissus trifoliata | Desert Grape Ivy | V | SD | 1-2 | |
| Condalia warnockii var. kearneyana | Condalia | S | SD, CD | 1 | |
| Cordia boissieri | Anacahuita, Texas Olive | T, S, cl | CD | 2-3 | sh |
| Cordia parvifolia | Littleleaf Cordia | S, cl | SD, CD | 1-2 | |
| Cupressus arizonica | Arizona Cypress | T | SD, CD | 2 | |
| Cupressus glabra | Smooth Bark Cypress | T | SD | 2-3 | |
| Dalea bicolor var. argyrea | Silver Dalea | S | SD | 2-3 | |
| Dalea formosa | Feather Dalea | S | SD, CD | 2-3 | |
| Dalea frutescens | Black Dalea | S, cl | CD | 2-3 | |
| Dalea greggii | Trailing Indigo Bush | Gc | CD | 2-3 | |
| Dalea psorothamus spinosus | Smoke Tree | S, T | CD, SD | 2-3 | |
| Dalea pulchra | Indigo Bush | S, cl | SD | 2-3 | |
| Dalea versicolor var. sessilis | Indigo Bush, Dalea | S, cl | SD | 3 | |
| Dasyliion acrotriche | Green Desert Spoon | A | CD | 1 | |
| Dasyliion wheeleri | Sotol, Desert Spoon | A | SD, CD | 1 | |
| Digitaria californica | Arizona cottontop | Gr | SD, CD | 1 | |
| Dodonaea viscosa | Hopbush | S | SD, CD | 1-2 | sh |
| Dyssodia acerosa | Dogweed | Gc, p, cl, SD, CD | SD, CD | 2-3 | |
| Dyssodia pentachaeta | Dyssodia | Gc, an, p, c | SD,CD | 2-3 | I |
| Echinocactus grusonii | Golden Barrel | C, cl | SD | 1-2 | |
| Echinocereus spp. | Hedgehog, Rainbow Cactus | C, cl | SD, CD | 1 | |
| Encelia californica | California Brittlebush (green) | S, cl | SD | 1-2 | sh |
| Encelia farinosa | Brittlebush | S, cl | SD | 1-2 | sh |
| Ephedra nevadensis | Ephedra | S | SD | 3 | |
| Euphorbia antisyphilitica | Wax Plant, Candelilla | S | CD | 1 | |
| Euphorbia myrsinites | Euphorbia | Gc | | 2 | |
| Euphorbia rigida (biglandulosa) | Gopher Plant | A, Sc, cl* Africa | Africa | 2 | |
| Fallugia paradoxa | Apache Plume | S | SD | 2,1 | |
| Ferocactus spp. | Barrel Cactus | C, cl | SD, CD | 1 | |
| Ficus pumila | Creeping Fig | GC, V | | 3,4 | |
| Forestiera neomexicana | Desert Olive | S | SD | 1,2 | |
| Fouquieria splendens | Ocotillo | A, cl | SD, CD | 1 | |
| Gazania rigens 'Copper King' | Copper King Gazania | Gc, cl | Africa | 3-4 | |
| Gazania rigens | Treasure Flower Gazania | Gc, cl | Africa | 3-4 | |

TABLE C-3: ORO VALLEY APPROVED PLANT LIST (ALL AREAS)

| *See Bottom of List for Key to Symbols | | | | | |
|---|---------------------------------------|----------------|---------------|--------------|--------------|
| List Sorted Alphabetically by Botanical Name | | | | | |
| Botanical Name | Common Name | Status | Origin | Needs | Hardy |
| Gazania rigens leucolaena | Trailing Gazania | Gc, cl | Africa | 3-4 | (t) |
| Geoffreyia (Gourleia) decorticans | Chilean Palo Verde | T, cl | S. America | 1 | |
| Gossypium harknessii | Gossypium | S, cl | SD | 2 | (t) |
| Haplopappus (Ericameria) laricifolius | Turpentine Bush | S, cl | SD, CD | 1 | |
| Hesperaloe funifera | Giant Hesperaloe | A | CD | 1-2 | |
| Hesperaloe parviflora | Red Yucca, Red Flowered Hesperaloe | A, cl | CD | 1-2 | |
| Hibiscus coulteri | Yellow Hibiscus, Coulter's Hibiscus | S | SD, CD | 2 | |
| Hilaria berlanderi | Curly mesquite | Gr | SD, CD | 2 | |
| Hilaria mutica | Tobosa grass | Gr | SD, CD | 1 | |
| Hilaria rigida | Big galleta grass | Gr | SD, CD | 2 | |
| Hyptis emoryi | Desert Lavendar | S | SD | 3 | sh |
| Jatropha cardiophylla | Limberbush | S | SD | 1 | |
| Jatropha dioica | Jatropha | S, cl | CD | 1 | (t) |
| Justicia (Beloperone) californica | Chuparosa | S, cl | SD | 2-3 | (t) |
| Justicia candicans | Red Jacobinia | S, cl | SD | 3 | sh |
| Justicia spicigera | Mexican Honeysuckle, Firecracker Bush | S, cl | SD | 3 | sh |
| Lantana camara | Bush Lantana (many cultivars) | S, cl* | N. America | 3-4 | (t) |
| Lantana montevidensis | Trailing Lantana | Gc, cl* S. Am. | S. America | 3-4 | (t) |
| Larrea tridentata (divaricata) | Creosote Bush, Greasewood | S, cl | SD, CD | 1 | |
| Leucaena retusa | Golden Leadball | T, S, cl | CD | 1-2 | |
| Leucophyllum spp. | Texas Ranger (all cultivars) | S, cl | CD | 2 | |
| Linum grandiflorum Rubrum' | Scarlet Flax | Gc, an, cl | | 3 | |
| Linum lewisii | Blue Flax | an, cl | SD, CD | 3 | |
| Lupinus arizonicus | Lupine | an, cl | SD | 1 | |
| Lupinus sparsiflorus | Desert Lupine | an, cl | SD | 1 | |
| Lupinus succulentus | Arroyo Lupine | an, cl | SD | 1 | |
| Lycium exsertum | Lycium | S | SD | 1 | |
| Lycium fremontii | Wolfberry | S | SD | 1 | |
| Lysiloma candida | Palo Blanco | T, S | SD | 2,3 | (t) |
| Lysiloma thornberi | Feather Tree | T, S | SD | 2-3 | sh |
| Macfadyena unguis-cati | Cat's Claw Vine | V, cl | America | 2-3 | |
| Mamillaria spp. | Mamillaria Cactus | C, cl | SD, CD | 1-2 | |
| Mascagnia lilacina | Lavender Orchid Vine | V, cl | CD | 2-3 | |
| Mascagnia macroptera | Yellow Orchid Vine | V, cl | SD, CD | 2-3 | sh |
| Maytenus phyllanthoides | Mangle Dulce | S | SD, CD | 2 | |

TABLE C-3: ORO VALLEY APPROVED PLANT LIST (ALL AREAS)

| *See Bottom of List for Key to Symbols | | | | | |
|--|---|------------------|-----------|-------|-------|
| List Sorted Alphabetically by Botanical Name | | | | | |
| Botanical Name | Common Name | Status | Origin | Needs | Hardy |
| Melampodium leucanthum | Blackfoot Daisy | Gc, p, cl SD, CD | SD, CD | 2 | |
| Merremia aurea | Yellow Merremia | V, cl | SD | 2-3 | (t) |
| Mimosa biuncifera | Wait-a-Minute Bush | S | SD | 2-3 | |
| Mimosa dysocarpa | Velvetpod | S, cl | SD | 2 | |
| Muhlenbergia dumosa | Bush Muhlenbergia, Bamboo Muhly | Gr | SD | 3-4 | |
| Muhlenbergia emersleyi | Bullgrass | Gr, cl | SD | 1 | |
| Muhlenbergia porteri | Bush muhly | Gr, cl | SD, CD | 1 | |
| Muhlenbergia rigens | Deer grass | Gr | SD | 3 | |
| Muhlenbergia rigida | 'Nashville' TM | Gr, cl | SD | 3 | |
| Myoporum parvifolium | Myoporum | Gc | Australia | 3 | |
| Nolina bigelovii | Beargrass | A | SD | 1-2 | |
| Nolina matapensis | Tree Beargrass | A, T | SD | 1-2 | |
| Nolina microcarpa | Beargrass | A | SD | 1-2 | |
| Nolina parryi | Parry's Beargrass | A | SD | 1-2 | |
| Oenothera berlandieri (speciosa childsii) | Mexican Evening Primrose | Gc, cl | CD | 3 | |
| Oenothera caespitosa | Tufted Evening Primrose | p,cl | SD | 2-3 | |
| Oenothera stubbei | Chihuahuan Primrose, Baja Primrose | Gc, cl | CD | 2-3 | |
| Olneya tesota | Desert Ironwood, Tesota | T | SD, CD | 1 | (sh) |
| Opuntia spp. | Prickly Pear, Cholla | C | SD, CD | 1 | |
| Oryzopsis hymenoides | Indian ricegrass | Gr | SD, CD | 3 | |
| Pappophorum mucronulatum | Pappusgrass | Gr | SD | 1 | |
| Passiflora foetida | Passion Flower | V | SD | 3 | sh |
| Pedilanthus macrocarpus | Slipper Flower | A, Sc, cl* | SD | 2 | |
| Penstemon baccharifolius | Cutleaf Penstemon | p, cl | CD | 1 | |
| Penstemon barbatus | Beardtongue Penstemon | p, cl | SD, CD | 1 | |
| Penstemon eatoni | Eaton's Penstemon | p, cl | SD | 1 | |
| Penstemon parryi | Parry Penstemon | p, cl | SD | 1 | |
| Penstemon pseudospectabilis | Canyon Penstemon, Mohave Beardtongue | p, cl | SD | 1 | |
| Penstemon superbus | Superb Penstemon | p, cl | CD | 1 | |
| Phyla nodiflora | Lippia | Gc, cl | | 3-4 | |
| Pistacia atlantica | Mt. Atlas Pistache | T | Africa | 2 | |
| Pistacia chinensis | Chinese Pistache | T, cl | Asia | 3 | |
| Pistacia terebinthus x integerrima | Pistache hybrid terebinthus x integerrima | T, cl | | 3 | |
| Pistacia vera | Pistachio | T | Asia | 2-3 | |
| Pithecellobium flexicaule | Texas Ebony | T | CD | 2 | sh |
| Pithecellobium mexicanum | Mexican Ebony | T | SD | 3 | |

TABLE C-3: ORO VALLEY APPROVED PLANT LIST (ALL AREAS)

| *See Bottom of List for Key to Symbols | | | | | |
|--|---|---------------|---------------|--------------|--------------|
| List Sorted Alphabetically by Botanical Name | | | | | |
| Botanical Name | Common Name | Status | Origin | Needs | Hardy |
| <i>Pithecellobium pallens</i> | Tenaza | T | CD | 2 | sh |
| <i>Prosopis</i> (S. Amer. hybrid) | Thornless Mesquite (S. Amer. hybrid) | T# | S. America | 2 | |
| <i>Prosopis alba</i> | Argentine Mesquite | T# | S. America | 2 | |
| <i>Prosopis chilensis</i> | Chilean Mesquite | T# | S. America | 2 | |
| <i>Prosopis glandulosa</i> <i>glandulosa</i> | Honey or Texas Mesquite | T# | CD | 2 | |
| <i>Prosopis pubescens</i> | Screwbean Mesquite | T | SD, CD | 2 | |
| <i>Prosopis velutina</i> | Velvet Mesquite | T# | SD | 2 | |
| <i>Psilostrophe cooperi</i> | Paper Flower | p, cl | SD, CD | 2 | |
| <i>Quercus arizonica</i> | Arizona White Oak | T | SD, CD | 3 | |
| <i>Quercus emoryi</i> | Emory Oak | T | SD, CD | 3 | |
| <i>Quercus ilex</i> | Holly Oak | T | | 3 | |
| <i>Quercus virginiana</i> 'Heritage' | Heritage Live Oak | T | SE U.S.A. | 3 | |
| <i>Rhus microphylla</i> | Littleleaf Sumac | S, cl | CD | 2 | |
| <i>Rhus ovata</i> | Sugar Bush, Sugar Sumac | S | SD | 2 | |
| <i>Rhus virens</i> | Evergreen Sumac | S, cl | CD | 2 | |
| <i>Ruellia californica</i> | Ruellia | S, cl | SD | 3 | (t) |
| <i>Ruellia peninsularis</i> | Ruellia | S, cl | SD | 3 | (t) |
| <i>Ruschia uncinatus</i> | Ruschia | Sc, Gc | | 2 | |
| <i>Salvia</i> <i>chamaedryoides</i> | Blue Sage | S, p, cl | CD | 2-3 | |
| <i>Salvia clevelandii</i> | Cleveland Sage | S, cl | | 3 | |
| <i>Salvia columbariae</i> | Chia | An, cl | SD | 3 | |
| <i>Salvia farinacea</i> | Mealy Blue Sage | S, cl | CD | 3-4 | |
| <i>Salvia greggii</i> | Texas Red Salvia, Autumn Sage | S, cl | CD | 2-3 | |
| <i>Salvia leucantha</i> | Mexican Bush Sage | S, cl | CD | 2-3 | |
| <i>Salvia mohavensis</i> | Mohave Sage | S, cl | SD | 2 | |
| <i>Salvia splendens</i> | Scarlet Sage | S, cl | CD | 2-3 | |
| <i>Sambucus mexicana</i> | Mexican Elderberry | T | SD, CD | 2 | |
| <i>Sapindus saponaria</i> | Soapberry | T* | SD, CD | 3-4 | |
| <i>Senecio cineraria</i> | Dusty Miller, Silver Plant | P, cl* | | 3 | |
| <i>Senna covesii</i> | Desert Senna | P, cl | SD | 1-2 | |
| <i>Senna lindheimeriana</i> | Senna | S | CD | 4 | sh |
| <i>Senna wislizenii</i> | Cassia, Shrubby Senna | S, p, cl | SD, CD | 2 | |
| <i>Simmondsia chinensis</i> | Joboba, Goat Nut | S | SD | 1-2 | |
| <i>Sophora secundiflora</i> | Mescal Bean, Texas Mountain Laurel | S, T, cl* | CD | 2-3 | |
| <i>Sophora arizonica</i> | Arizona Sophora | S, T, cl* | SD | 2-3 | |
| <i>Sphaeralcea</i> spp. | Globe-Mallow | P, cl | SD, CD | 1 | |
| <i>Sporobolus airoides</i> | Alkali Sacaton | Gr | SD, CD | 3 | |
| <i>Sporobolus contractus</i> | Spike dropseed | Gr | SD, CD | 1 | |
| <i>Sporobolus wrightii</i> | Sacaton | Gr | SD, CD | 1 | |
| <i>Stenocereus</i> (<i>Lemaireocereus</i>) <i>thurberi</i> | (t) Organ Pipe Cactus | C | SD | 1 | |
| <i>Stipa neomexicana</i> | New Mexico feathergrass | Gr | SD, CD | 2 | |

TABLE C-3: ORO VALLEY APPROVED PLANT LIST (ALL AREAS)

| *See Bottom of List for Key to Symbols | | | | | |
|--|--------------------------------|----------|------------|-------|-------|
| List Sorted Alphabetically by Botanical Name | | | | | |
| Botanical Name | Common Name | Status | Origin | Needs | Hardy |
| Tagetes lemmoni | Mountain Marigold | p, cl | SD | 3-4 | |
| Tecoma stans var. angustata | Trumpet-Bush | S, cl | SD, CD | 2-3 | sh |
| Trucklers crinita | Two-feather trichloris | Gr | SD, CD | 2 | |
| Trichocereus spp. | Trichocereus Cactus | C | | 1-2 | |
| Tridens muticus | Slim tridens | Gr | SD, CD | 2 | |
| Ungnadia speciosa | Mexican Buckeye | T, cl | CD | 3 | |
| Vauquelinia californica | Arizona Rosewood | S, T# | SD | 2 | |
| Verbena gooddingii | Goodding Verbena | p, cl | SD | 3-4 | |
| Verbena peruviana | Peruvian Verbena | p, cl | S. America | 4 | |
| Verbena tenuisecta (pulchella) | Moss Verbena, Fineleaf Verbena | p, cl | S. America | 3 | |
| Verbesina encelioides | Crown Beard | an, cl | SD, CD | 2 | |
| Viguiera deltoidea | Golden Eye | p, cl | SD | 2 | |
| Vitex agnus-castus | Chaste Tree, Monk's Pepper | T, S, cl | | 2 | |
| Yucca aloifolia | Spanish Bayonet Yucca | A | SD | 1 | |
| Yucca baccata | Banana Yucca | A | SD, CD | 1 | |
| Yucca brevifolia | Joshua Tree | A | CD | 1 | |
| Yucca carnerosana | Giant Dagger Yucca | A | CD | 1 | |
| Yucca elata | Soaptree Yucca | A | SD, CD | 1 | |
| Yucca glauca | Small Soapweed Yucca | Sc | U.S.A. | 1 | |
| Yucca rigida | Blue Dagger Yucca | A, cl | CD | 1 | |
| Yucca rostrata | Beaked Yucca | A | CD | 1 | |
| Yucca schottii | Mountain Yucca | Sc | SD | 1 | |
| Yucca treculeana | Tree Yucca | A | CD | 1 | |
| Yucca whipplei | Our Lord's Candle | A | SD | 1 | |
| Zauschneria californica | Hummingbird Trumpet | Gc, cl | SD | 3 | |
| Zauschneria latifolia | Hummingbird Flower | S | SD | 3 | |
| Zinnia acerosa | Desert Zinnia | P, cl | SD, CD | 1 | |
| Zinnia grandiflora | Rocky Mountain Zinnia | P, cl | CD | 2 | |
| Zizyphus obtusifolia | Greythorn | S, T | SD | 1 | sh |

TABLE C-4: ORO VALLEY APPROVED PLANT LIST (INTERIOR AREAS ONLY)

*See Bottom of List for Key to Symbols

List Sorted Alphabetically by Botanical Name

| Botanical Name | Common Name | Status | Origin | Needs | Hardy |
|--------------------------------|----------------------------------|-----------------------|---------------|-------|-------|
| Acacia aneura | Mulga | T | Australia. | 2 | sh |
| Acacia crasspedocarpa | Waxleaf Acacia | T, S | Australia | 1 | |
| Acacia cultriformis | Knife-Leaf Acacia | T, S | Australia | 2 | sh |
| Acacia notabilis | Acacia | S | Australia | 2 | |
| Aloe barbadensis | Barbados Aloe | Sc, cl | Africa | 2-3 | sh |
| Aloe ferox | Cape Aloe | Sc, cl | Africa | 2-3 | sh |
| Aloe saponaria | Mediterranean Aloe | Sc, cl | Africa | 2-3 | sh |
| Bougainvillea spp. | Bougainvillea | V,S,cl | Brazil | 3 | (t) |
| Brachychiton populneus | Bottle Tree | T | Australia | 2-3 | |
| Callistemon citrinus | Lemon Bottlebrush | T,S,cl | Australia | 3 | sh |
| Carpobrotus edulis | Ice Plant | Gc, Sc, cl, Africa | Africa | 3 | (t) |
| Centaurea cineraria | Dusty Miller | p, cl | Mediterranean | 3 | |
| Cereus peruvianus 'Monstrosus' | (sh) Peruvian Cereus | C | South America | 1-2 | |
| Chamaerops humilis | Mediterranean Fan Palm | T | Spain | 2-3 | |
| Convolvulus cneorum | Bush Morning Glory | S, Gc, cl* Medit. | Mediterranean | 1-2 | |
| Convolvulus mauritanicus | Ground Morning Glory | Gc, cl | Africa | 3 | sh |
| Dalbergia sissoo | Rosewood | T | India | 3 | sh |
| Dimorphotheca sinuata | African Daisy, Cape Marigold | An, cl | South Africa | 4 | |
| Echinopsis spp. | Easter Lily, Sea Urchin Cactus | C, cl | S. America | 1 | |
| Eremophila decipiens | Emu Bush | S, cl | Australia | 1 | |
| Eucalyptus campaspe | Silver Gimlet | T | Australia | 2-3 | sh |
| Eucalyptus formanii | Eucalyptus | T | Australia | 2 | |
| Eucalyptus leucoxylon (rosea) | White Iron Bark | T, cl | Australia | 2 | |
| Eucalyptus microtheca | Tiny Capsule Eucalyptus | T | Australia | 1-2 | |
| Eucalyptus polyanthemus | Silver Dollar Gum | T | Australia | 2 | |
| Eucalyptus rudis | Desert Gum | T | Australia | 2 | |
| Eucalyptus spathulata | Swamp Mallee | T | Australia | 3 | |
| Feijoa sellowiana | Pineapple Guava | T, S, cl | S. America | 3 | |
| Juniperus deppeana | Alligator Bark Juniper | T | SD, CD | 3 | |
| Malephora crocea | Croceum, Ice Plant | Gc, Sc, cl | | 2-3 | |
| Myrtus communis 'Boetica' | Twisted Myrtle | S# | Mediterranean | 3 | |
| Myrtus communis 'Compact' | Dwarf Myrtle | S | Mediterranean | 3 | |
| Nandina domestica | Heavenly Bamboo (many cultivars) | S, cl | | 3 | |
| Olea europaea 'Swan Hill' | Swan Hill Olive | T | Mediterranean | 3 | |

TABLE C-4: ORO VALLEY APPROVED PLANT LIST (INTERIOR AREAS ONLY)

*See Bottom of List for Key to Symbols

List Sorted Alphabetically by Botanical Name

| Botanical Name | Common Name | Status | Origin | Needs | Hardy |
|---|------------------------------------|-----------|---------------|-------|-------|
| <i>Osteospermum fruticosum</i> | Trailing African Daisy | Gc, cl | Africa | 3-4 | sh |
| <i>Pentzia incana</i> | Karoo Bush | Gc | Africa | 1-2 | |
| <i>Phoenix canariensis</i> | Canary Island Date Palm | T | | 3 | |
| <i>Pinus edulis</i> | Piñon Nut Pine | T | | 2-3 | |
| <i>Pinus eldarica</i> | Afghan Pine | T# | Asia | 2 | |
| <i>Pinus monophylla</i> | Singleleaf Piñon Pine | T | Mojave | 2 | |
| <i>Pinus pinea</i> | Italian Stone Pine | T | Mediterranean | 2-3 | |
| <i>Pinus roxburghii</i> | Chir Pine | T | Asia | 3 | |
| <i>Pittosporum phillyraeoides</i> | Willow Pittosporum | T | Australia | 2 | |
| <i>Punica granatum</i> | Pomegranate | S, T, cl | India | 2-3 | |
| <i>Quercus suber</i> | Cork Oak | T* | Mediterranean | 2 | |
| <i>Rhus lancea</i> | African Sumac | T | Africa | 2 | l |
| <i>Rosa banksiae</i> | Lady Banks Rose, Tombstone Rose | S, Gc, V | | 3 | |
| <i>Rosmarinus officinalis</i> | Bush Rosemary | S, cl | Mediterranean | 2-3 | |
| <i>Rosmarinus officinalis</i> 'Prostratus' | Dwarf or Trailing Rosemary | Gc, cl | Mediterranean | 2-3 | |
| <i>Santolina chamaecyparissus</i> | Lavendar Cotton | S, Gc | Mediterranean | 2-3 | |
| <i>Santolina virens</i> | Green Santolina | Gc, S, cl | Mediterranean | 3-4 | |
| <i>Sesuvium verrucosum</i> | Sea Purslane, Ice Plant | Gc | Africa | 2 | (t) |
| <i>Tecomaria capensis</i> | Cape Honeysuckle | S,cl | Africa | 4 | sh |
| <i>Teucrium chamaedrys</i> (prostratum) | Prostrate Germander | Gc, p | Mediterranean | 2-3 | |
| <i>Teucrium fruticans</i> | Bush Germander | S | | 3 | |
| <i>Yucca recurvifolia</i> (pendula) | Pendulous or Curveleaf Yucca | A | U.S.A. | 2 | |

KEY TO SYMBOLS

| | |
|---|--|
| STATUS | <p>T - TREE S - SHRUB A - ACCENT PLANT GC - GROUNDCOVER C - CACTUS SC - SUCCULENT (OTHER THAN CACTI) V - VINE GR - ORNAMENTAL GRASS AN - ANNUAL P - PERENNIAL CL - SEASONAL COLOR (SHOWY FLOWERS, FALL COLOR OR BERRIES)</p> |
| ORIGIN | <p>CD - Chihuahuan Desert Region - (broadly interpreted to include a large area of north central and northwest Mexico, southwest Texas, southern New Mexico and extreme southeast Arizona.) SD - Sonoran Desert Region - (broadly interpreted to include the arid and semi-arid areas of northwest Mexico, southeast California and most of Arizona south of the Mogollon Rim.) (Note: Chihuahuan and Sonoran Desert Regions annotated by Matt Johnson, Native Plant Society.)</p> |
| APPROXIMATE WATERING NEEDS (depending on soil and climate conditions) | <p>1 - No supplemental irrigation once established. 2 - Once a month during the growing season once established. 3 - Twice a month during the growing season once established. 4 - Once a week during the growing season once established</p> |
| HARDINESS | <p>sh - Semi-hardy -- some dieback in a hard frost (t) - Tender (may be severely damaged or killed in a hard frost) * - Toxic; may be harmful if eaten. (For more information call Arizona Poison Control Center at (520) 626-6016.) # - Exceptions to the nomenclature in <u>Hortus III</u>. I - Invasive -- may spread and intrude into natural areas.</p> |